




# Liner SLIM



## LIN-SLIM-L-DALI-W

The LINER SLIM is an ideal aesthetic solution to install a slim and designer fixture in 3-phase track rails. The enormous advantage of this LINER SLIM is that a separate OR-module 1200/1500 can be mounted on it separately from the special 3-phase track power supply. This has the advantage that a wide variety of light sources can be mounted depending on the wishes of the project. The quality driver from the German brand Vossloh-Schwabe ensures a long lifespan and provides the option to directly set the desired power using a dip switch (17/19/24/29/34/38/43/54W), which guarantees great flexibility within every project. The fixture also comes with an extra mounting clip so that the OR module can be installed smoothly. The LINER SLIM is compatible with the following brands for DALI-2: Nordic Aluminum (GLOBAL Trac Pulse XTSC 6xxx / XTSCF 6xxx), Powergear (PRO-0610), Stucchi (One track), Unipro (T32W / T32FW). The OR module can be ordered separately depending on the choice (see section OR modules).



## Technical data


Productnumber	Barcode	IP value	Dimmable	Length
LIN-SLIM-L-DALI-W	LH-1700	20	V	672mm
Width	Height	Finish color		
31mm	31,5mm	White		

## Specification text\*

The LINER SLIM is an ideal aesthetic solution to install a slim and designer fixture in 3-phase track rails. A quality driver from the German brand Vossloh-Schwabe ensures a long lifespan and provides the option to directly set the desired power using a dip switch (17/19/24/29/34/38/43/54W). The fixture also comes with an extra mounting clip so that the OR-module 1200/1500 can be installed smoothly. The LINER SLIM is compatible with the following brands for DALI-2: Nordic Aluminum (GLOBAL Trac Pulse XTSC 6xxx /XTSCF 6xxx), Powergear (PRO-0610), Stucchi (One track), Unipro (T32W / T32FW). The OR module can be ordered separately depending on the choice (see section OR modules). Length of the track feed is 672mm, width 37mm and a height of 31.5mm. Finishing color is white and is not dimmable as standard. Comes with a 5-year warranty.

\* Available on the website

## Full installation example with OR-MODULE.



## Areas of application

Office spaces / meeting rooms / showrooms / shops / corridors / classrooms

## Extra information

All information, specification texts, photos, technical drawings, connection diagrams, photometric .LDT files can be found via this clickable direct link: [https://www.voltron-lighting.com/product/EN/83/1700/Liner\\_SLIM--LIN-SLIM-L-DALI-W](https://www.voltron-lighting.com/product/EN/83/1700/Liner_SLIM--LIN-SLIM-L-DALI-W) or can be requested through your contact person.

## Direct link website



## Product barcode



The Voltron® name and logo as well as product names are part of the Voltron® Lighting Group and are protected by national and international laws. The usage rights, reproduction rights as well as the intellectual rights are the exclusive property of the Voltron® Lighting Group. Voltron® pays a lot of attention to the correctness and completeness of the information. However, it cannot be held responsible for any inaccuracy and / or omission. All images and texts are protected under copyright law and may not be used or multiplied without express permission.