
# **OR modules 60cm**



#### OR-600-3000K-OP-W

OR modules by VOLTRON® are a fully 'circular' ALU 'slide & click' LED system for LEXI and LINER SLIM. High-quality ALU ensures extra robustness, optimum cooling and long-lasting light output. Standard in combination with non-dimmable Vossloh-Schwabe driver (also available in DALI-dimmable version). Operating on a constant-current system where adjustable power and luminance levels can be adjusted. TYPE OR-600-3000K-OP-W - 600mm - 3000K - 120° OP - white - IP20 class. Suitable for e.g. offices, showrooms , shops, corridors and entrance halls, classrooms. Always a 5-year guarantee. ENEC approved































# Voltron® Lighting Group Technical product sheet

### Technical data

| Productnumber     | Barcode      | ССТ    | IP value | CRI Ra           |
|-------------------|--------------|--------|----------|------------------|
| OR-600-3000K-OP-W | LH-1705      | 3000K  | 20       | >85              |
| Length            | Width        | Height | Dimmable | Finish color     |
| 564mm             | 37mm         | 37,4mm | V        | White            |
| Spread angle      | Lxx @Ta=25°C | UGR    | IK       | Constant current |
| 120°              | L80 >50.000  | <19    | 03       | V                |

### Specification text\*


OR-modules is a light source that can be used on the LEXI LED PANEL and THE LINER SLIM lights. This module has the Slide & Click adapters to be installed without any tools. The light module has a length of 564mm and a height of 37,4mm and a width of 37mm. The Kelvin value is 3000K and the finishing paint color is White. The CRI value of the lightsource is >85 and the LB value is L80 >50.000. The UGR of the lens is <19 and has a light angle of 120°. The used ledchip is a Lumiled SMD2835. The waranty of the module is 5 years.

<sup>\*</sup> Available on the website



# Voltron® Lighting Group Technical product sheet

### Photometric diagram



# Areas of application

Office spaces / meeting rooms / showrooms / shops / corridors / classrooms

### Extra information

All information, specification texts, photos, technical drawings, connection diagrams, photometric .LDT files can be found via this clickable direct link: https://www.voltron-lighting.com/product/EN/80/1705/OR\_modules\_60cm--OR-600-3000K-OP-W or can be requested through your contact person.

### Direct link website



### Product barcode

















The Voltron® name and logo as well as product names are part of the Voltron® Lighting Group and are protected by national and international laws. The usage rights, reproduction rights as well as the intellectual rights are the exclusive property of the Voltron® Lighting Group. Voltron® pays a lot of attention to the correctness and completeness of the information. However, it cannot be held responsible for any inaccuracy and / or omission. All images and texts are protected under copywrite law and may not be used or multiplied without express permission.